Brain Research, 424 (1987) 407–409
Elsevier

Author Index

Adams, I., Plasticity of the synaptic contact zone following loss of synapses in the cerebral cortex of aging humans, 343
Advokat, C., see Siuciak, J.A., 311
Akaike, N., see Oyama, Y., 58
Akil, H., see Lewis, J.W., 65
Anthony, E.L.P., see Bruhn, T.O., 290
Anthony, E.L.P., Wu, P., Bruhn, T.O. and Jackson, I.M.D., Characterization of LH-RH immunoreactivity in mammalian pituitary neural lobe by HPLC, 258
Astic, L., Saucier, D. and Holley, A., Topographical relationships between olfactory receptor cells and glomerular foci in the rat olfactory bulb, 144
Augustine, J.R., Immunocytochemical staining of GABA in the insular lobe of the savanna baboon: a light microscopic study, 352
Autilio-Gambetti, L., see Pappolla, M., 272

Baker, H.J., see Koenig, M.L., 169
Baldrighi, G., see Lewis, J.W., 65
Baranyi, A., Szente, M.B. and Woody, C.D., Intracellular injection of phorbol ester increases the excitability of neurons of the motor cortex of awake cats, 396
Barmack, N.H., The influence of gravity on horizontal and vertical vestibulo-ocular and optokinetic reflexes in the rabbit, 89
Barraco, R.A., Campbell, W.R., Schoener, E.P., Shehin, S.E. and Parizon, M., Cardiovascular effects of microinjections of adenosine analogs into the fourth ventricle of rats, 17
Beattie, M.S., see Leedy, M.G., 386
Bicknell, R.J., see Diez-Guerra, F.J., 225
Biggio, G., see Porceddu, M.L., 264
Blasberg, R.G., see Tsubaki, S.I., 71
Brainard, G.C. and Morgan, W.W., Light-induced stimulation of retinal dopamine: a dose–response relationship, 199
Bratlid, D., see Hansen, T.W.R., 26
Bresnahan, J.C., see Leedy, M.G., 386
Brightman, M.W., see Tsubaki, S.I., 71
Brown, J.C., see Millhorn, D.E., 99
Bruhn, T.O., Anthony, E.L.P., Wu, P. and Jackson, I.M.D., GRF immunoreactive neurons in the paraventricular nucleus of the rat: an immunohistochemical study with monoclonal and polyclonal antibodies, 290
Bruhn, T.O., see Anthony, E.L.P., 258
Bruschi, F., see Magni, F., 379
Buchan, A., see Millhorn, D.E., 99
Budai, D., see Fatranská, M., 109

Campbell, W.R., see Barraco, R.A., 17
Carey, R.G. and Rieck, R.W., Topographic projections to the visual cortex from the basal forebrain in the rat, 205
Carraway, R.E., see Eldred, W.D., 361
Chang, G.D. and Ramirez, V.D., Effects on dopamine metabolism of MPTP and MPP^+ infused through a push–pull cannula into the caudate nucleus of awake adult male rats, 49
Chentanez, T. and Redburn, D.A., Synaptosomal neurotransmitter uptake systems in the retina and brain nuclei of light- and dark-adapted rabbits, 115
Clemens, L.G., see Wee, B.E.F., 305
Clerc, N. and Condamin, M., Selective labeling of vagal sensory nerve fibers in the lower esophageal sphincter with anterogradely transported WGA-HRP, 216
Condamin, M., see Clerc, N., 216
Cox-van Put, J., see Sandor, P., 189
Crawford, R.D., see Pedder, S.C.J., 139

Davies, S.N. and Lodge, D., Evidence for involvement of *N*-methylaspartate receptors in 'wind-up' of class 2 neurones in the dorsal horn of the rat, 402
De Jong, W., see Sandor, P., 189
De Montis, G., see Porceddu, M.L., 264
De Wied, D., see Sandor, P., 189
Dey, P.K., see Sharma, H.S., 153
Diez-Guerra, F.J., Bicknell, R.J., Mansfield, S., Emson, P.C. and Dyer, R.G., Effect of neonatal testosterone upon opioid receptors and the content of β-endorphin, neuropeptide Y and neurotensin in the medial preoptic and the mediobasal hypothalamic areas of the rat brain, 225
Dowling, J.E., see Eldred, W.D., 361
Dyer, R.G., see Siez-Guerra, F.J., 225

Eldred, W.D., Li, H.-B., Carraway, R.E. and Dowling, J.E., Immunocytochemical localization of LANT-6-like immunoreactivity within neurons in the inner nuclear and ganglion cell layers in vertebrate retinas, 361
Emson, P.C., see Diez-Guerra, F.J., 225
Eriksson, S., see Simon-Oppermann, C., 163

Fatranská, M., Budai, D., Oprsalová, Z. and Kvetnansky, R., Acetylcholine and its enzymes in some brain areas of the rat under stress, 109
Felix, D., see Harding, J.W., 299
Franklin, S.R., see Piercey, M.F, 1

Gambetti, P., see Pappolla, M., 272
Gibson, M.J., Moscovitz, H.C., Kokoris, G.J. and Silverman, A.-J., Plasma LH rises rapidly following mating in hypogonadal female mice with preoptic area (POA) brain grafts, 133
Gray, D.A., see Simon-Oppermann, C., 163
Greenough, W.T., see Sirevaag, A.M., 320
Gruen, E., see Woody, C.D., 193
Gunnet, J.W., Lookingland, K.J., Lindley, S.E. and Moore, K.E., Effect of electrical stimulation of the arcuate nucleus on neurochemical estimates of tuberoinfundibular and tuberohypophysial dopaminergic neuronal activities, 371

Hansen, T.W.R., Sagvolden, T. and Bratlid, D., Open-field behavior of rats previously subjected to short-term hyperbilirubinemia with or without blood–brain barrier manipulations, 26
Harding, J.W. and Felix, D., The effects of the aminopeptidase inhibitors amastatin and bestatin on angiotensin-evoked neuronal activity in rat brain, 299
Hatakeyama, T., see Matsumoto, M., 231

Hökfelt, T., see Millhorn, D.E., 99
Holley, A., see Astic, L., 144

Inenaga, K., Osaka, T. and Yamashita, H., Thermosensitivity of neurons in the paraventricular nucleus of the rat slice preparation, 126

Jackson, I.M.D., see Anthony, E.L.P., 258
Jackson, I.M.D., see Bruhn, T.O., 290
Johnson, D.D., see Pedder, S.C.J., 139
Jope, R.S., see Koenig, M.L., 169

Kasti, M., see Magni, F., 379
Klockgether, T., see Turski, L., 37
Koenig, M.L., Jope, R.S., Baker, H.J. and Lally, K.M., Reduced Ca^{2+} flux in synaptosomes from cats with G_{M1} gangliosidosis, 169
Kokoris, G.J., see Gibson, M.J., 133
Kuroda, Y., see Yoshii, M., 119
Kvetnansky, R., see Fatranská, M., 109

Lally, K.M., see Koenig, M.L., 169
Lassonde, M., see Ward, R., 84
Leedy, M.G., Beattie, M.S. and Bresnahan, J.C., Testosterone-induced plasticity of synaptic inputs to adult mammalian motoneurons, 386
Lewis, J.W., Baldrighi, G. and Akil, H., A possible interface between autonomic function and pain control: opioid analgesia and the nucleus tractus solitarius, 65
Li, H.-B., see Eldred, W.D., 361
Lindley, S.E., see Gunnet, J.W., 371
Lodge, D., see Davies, S.N., 402
Lookingland, K.J., see Gunnet, J.W., 371
Lydic, R., see Schwartz, W.J., 249

Magni, F., Bruschi, F. and Kasti, M., The afferent innervation of the thymus gland in the rat, 379
Mansfield, S., see Diez-Guerra, F.J., 225
Matsumoto, M., Hatakeyama, T., Yamamoto, K. and Yanagihara, T., A combined method for measurement of cerebral blood flow and immunohistochemistry for investigation of cerebral ischemia, 231
Matsushima, R., see Tashiro, T., 391
Meissl, H., see Thiele, G., 10
Mele, S., see Porceddu, M.L., 264
Mickley, G.A., Teitelbaum, H. and Reier, P.J., Fetal hypothalamic brain grafts reduce the obesity produced by ventromedial hypothalamic lesions, 239
Miller, Jr., C.H., see Pappolla, M., 272
Millhorn, D.E., Seroogy, K., Hökfelt, T., Schmued, L.C., Terenius, L., Buchan, A. and Brown, J.C., Neurons of the ventral medulla oblongata that contain both somatostatin and enkephalin immunoreactivities project to nucleus tractus solitarii and spinal cord, 99
Miyamoto, T., see Sato, T., 333
Mizuno, N., see Tashiro, T., 391
Moore, K.E., see Gunnet, J.W., 371
Moore-Ede, M.C., see Schwartz, W.J., 249
Morgan, W.W., see Brainard, G.C., 199
Moscovitz, H.C., see Gibson, M.J., 133

Nakagawa, H., see Tsubaki, S.I., 71
Narahashi, T., see Yoshii, M., 119
Noble, L.J. and Wrathall, J.R., The blood–spinal cord barrier after injury: pattern of vascular events proximal and distal to a transection in the rat, 177

Okada, Y., see Sato, T., 333
Ongini, E., see Porceddu, M.L., 264
Oprsalová, Z., see Fatranská, M., 109
Osaka, T., see Inenaga, K., 126
Owens, E., see Tsubaki, S.I., 71
Oyama, Y., Tsuda, Y., Sakakibara, S. and Akaike, N., Synthetic ω-conotoxin: a potent calcium channel blocking neurotoxin, 58

Pappolla, M., Penton, R., Weiss, H.S., Miller, Jr., C.H., Sahenk, Z., Autilio-Gambetti, L. and Gambetti, P., Carbon disulfide axonopathy. Another experimental model characterized by acceleration of neurofilament transport and distinct changes of axonal size, 272
Parizon, M., see Barraco, R.A., 17
Pedder, S.C.J., Wilcox, R., Tuchek, J.M., Crawford, R.D. and Johnson, D.D., Benzodiazepine antagonist Ro 15-1788 (flumazepil) attenuates the anticonvulsant activity of diazepam in epileptic fowl, 139
Penton, R., see Pappolla, M., 272
Piercey, M.F., Vogelsang, G.D., Franklin, S.R. and Tang, A.H., Reversal of scopolamine-induced amnesia and alterations in energy metabolism by the nootropic piracetam: implications regarding identification of brain structures involved in consolidation of memory traces, 1
Porceddu, M.L., De Montis, G., Mele, S., Ongini, E. and Biggio, G., D_1 dopamine receptors in the rat retina: effect of dark adaptation and chronic blockade by SCH 23390, 264

Ramirez, V.D., see Chang, G.D., 49
Redburn, D.A., see Chentanez, T., 115
Reier, P.J., see Mickley, G.A., 239
Rieck, R.W., see Carey, R.G., 205

Sagvolden, T., see Hansen, T.W.R., 26
Sahenk, Z., see Pappolla, M., 272
Sakakibara, S., see Oyama, Y., 58
Sandor, P., De Jong, W., Cox-van Put, J. and De Wied, D., Influence of centrally administered α- and γ_2-melanocyte-stimulating hormone on hypothalamic blood flow autoregulation in the rat, 189
Sato, T., Miyamoto, T. and Okada, Y., Latency of gustatory neural impulses initiated in frog tongue, 333
Satoda, T., see Tashiro, T., 391
Saucier, D., see Astic, L., 144
Schmued, L.C., see Millhorn, D.E., 99
Schoener, E.P., see Barraco, R.A., 17
Schwartz, W.J., Lydic, R. and Moore-Ede, M.C., In vivo metabolic activity of the suprachiasmatic nuclei: non-uniform intranuclear distribution of ^{14}C-labeled deoxyglucose uptake, 249
Schwarz, M., see Turski, L., 37
Seroogy, K., see Millhorn, D.E., 99
Sharma, H.S. and Dey, P.K., Influence of long-term acute heat exposure on regional blood–brain barrier permeability, cerebral blood flow and 5-HT level in conscious normotensive young rats, 153
Shehin, S.E., see Barraco, R.A., 17
Silverman, A.-J., see Gibson, M.J., 133
Simon, E., see Simon-Oppermann, C., 163
Simon-Oppermann, C., Eriksson, S., Simon, E. and Gray,

D.A., Gradient of arginine vasopressin concentration but not angiotensin II concentration between cerebrospinal fluid of anterior 3rd ventricle and cisterna magna in dogs, 163
Sirevaag, A.M. and Greenough, W.T., Differential rearing effects on rat visual cortex synapses. III. Neuronal and glial nuclei, boutons, dendrites, and capillaries, 320
Siuciak, J.A. and Advokat, C., Tolerance to morphine microinjections in the periaqueductal gray (PAG) induces tolerance to systemic, but not intrathecal morphine, 311
Sontag, K.-H., see Turski, L., 37
Szente, M.B., see Baranyi, A., 396

Takahashi, O., see Tashiro, T., 391
Tang, A.H., see Piercey, M.F., 1
Tashiro, T., Takahashi, O., Satoda, T., Matsushima, R. and Mizuno, N., Immunohistochemical demonstration of coexistence of enkephalin- and substance P-like immunoreactivities in axonal components in the lumbar segments of cat spinal cord, 391
Teitelbaum, H., see Mickley, G.A., 239
Terenius, L., see Millhorn, D.E., 99
Thiele, G. and Meissl, H., Action spectra of the lateral eyes recorded from mammalian pineal glands, 10
Tremblay, L., see Ward, R., 84
Tsubaki, S.I., Brightman, M.W., Nakagawa, H., Owens, E. and Blasberg, R.G., Local blood flow and vascular permeability of autonomic ganglion-transplants in the brain, 71
Tsuda, Y., see Oyama, Y., 58
Tsunoo, A., see Yoshii, M., 119
Tuchek, J.M., see Pedder, S.C.J., 139
Turski, L., Klockgether, T., Turski, W., Schwarz, M. and Sontag, K.-H., Substantia nigra and motor control in the rat: effect of intranigral α-kainate and γ-D-glutamylaminomethylsulphonate on motility, 37
Turski, W., see Turski, L., 37

Vogelsang, G.D., see Piercey, M.F., 1

Ward, R., Tremblay, L. and Lassonde, M., The relationship between callosal variation and lateralization in mice is genotype-dependent, 84
Wee, B.E.F. and Clemens, L.G., Characteristics of the spinal nucleus of the bulbocavernosus are influenced by genotype in the house mouse, 305
Weiss, H.S., see Pappolla, M., 272
Widdowson, P.S., The effect of neurotensin, TRH and the δ-opioid receptor antagonist ICI 174864 on alcohol-induced narcosis in rats, 281
Wilcox, R., see Pedder, S.C.J., 139
Woody, C.D. and Gruen, E., Acetylcholine reduces net outward currents measured in vivo with single electrode voltage clamp techniques in neurons of the motor cortex of cats, 193
Woody, C.D., see Baranyi, A., 396
Wrathall, J.R., see Noble, L.J., 177
Wu, C.H., see Yoshii, M., 119
Wu, P., see Anthony, E.L.P., 258
Wu, P., see Bruhn, T.O., 290

Yamamoto, K., see Matsumoto, M., 231
Yamashita, H., see Inenaga, K., 126
Yanagihara, T., see Matsumoto, M., 231
Yoshii, M., Tsunoo, A., Kuroda, Y., Wu, C.H. and Narahashi, T., Maitotoxin-induced membrane current in neuroblastoma cells, 119